


アルミ等辺アングル Rナシ (63アングル)

A6063-T5




寸 法 mm			1本の質量 (kg/本)	寸 法 mm			1本の質量 (kg/本)
辺 A	厚さ t	定尺長さ		辺 A	厚さ t	定尺長さ	
10	1.0	4,000	0.204	40	3.0	4,000	2.496
	1.2	"	0.244		4.0	"	3.284
12	1.2	"	0.296		5.0	"	4.052
15	1.0	"	0.312		6.0	"	4.796
	1.5	"	0.464	50	1.5	"	1.596
	2.0	"	0.604		3.0	"	3.144
	3.0	"	0.872		4.0	"	4.148
19	1.0	"	0.400		5.0	"	5.132
	1.5	"	0.592	6.0	"	6.092	
20	1.5	"	0.624	60	5.0	"	6.212
	2.0	"	0.820		6.0	"	7.388
	3.0	"	1.200	65	6.0	"	8.036
25	1.0	"	0.528		8.0	"	10.540
	1.2	"	0.636	70	4.0	"	5.876
	1.5	"	0.784	75	6.0	"	9.332
	2.0	"	1.036		9.0	"	13.704
	3.0	"	1.524	80	8.0	"	13.132
	4.0	"	1.988	100	10.0	"	20.520
	5.0	"	2.432				
30	1.0	"	0.636				
	1.2	"	0.764				
	1.5	"	0.948				
	2.0	"	1.256				
	3.0	"	1.848				
	4.0	"	2.420				
35	3.0	"	2.172				
	4.0	"	2.852				
40	2.0	"	1.684				

表記の質量はテーブル質量です。実際の商品とは異なる場合があります。

アルミ不等辺アングル Rナシ (63アングル)

A6063-T5




寸 法 mm				1本の質量 (kg/本)
辺 A	辺 B	厚さ t	定尺長さ	
15	10	1.5	4,000	0.380
	10	2.0	〃	0.496
20	10	1.5	〃	0.464
	15	1.5	〃	0.540
	15	2.0	〃	0.712
25	15	1.5	〃	0.624
	15	2.0	〃	0.820
	15	3.0	〃	1.200
	20	2.0	〃	0.928
30	10	1.5	〃	0.624
	15	1.5	〃	0.704
	15	2.0	〃	0.928
	15	3.0	〃	1.360
	20	2.0	〃	1.036
	20	3.0	〃	1.524
40	10	1.5	〃	0.788
	20	2.0	〃	1.252
	20	3.0	〃	1.848
	30	3.0	〃	2.172
50	25	3.0	〃	2.332
	35	4.0	〃	3.500
60	40	5.0	〃	5.132
	50	5.0	〃	5.672
75	50	5.0	〃	6.480

表記の質量はテーブル質量です。実際の商品とは異なる場合があります。

アルミアングル R付き (63アングル)


A6063-T5

等辺アングル



寸 法 mm			1本の質量 (kg/本)	R1	R2
辺 A	厚さ t	定尺長さ			
30	3.0	4,000	1.864	4.0	2.0
40	3.0	〃	2.524	4.5	2.0
	5.0	〃	4.056	4.5	3.0
	6.0	〃	4.836	6.0	3.0
50	5.0	〃	5.240	6.5	3.0
	6.0	〃	6.096	6.5	4.5
60	6.0	〃	7.484	8.5	4.0
65	6.0	〃	8.128	8.5	4.0
	8.0	〃	10.616	8.0	4.0
75	6.0	〃	9.456	6.0	3.0
	9.0	〃	13.804	8.5	4.0
80	8.0	〃	13.228	8.5	4.0
100	10.0	〃	20.640	8.5	4.0

不等辺アングル



寸 法 mm				1本の質量 (kg/本)	R1	R2
辺 A	辺 B	厚さ t	定尺長さ			
75	50	5.0	4,000	6.508	5.0	2.5
100	70	4.0	〃	7.256	5.0	-
	75	10.0	〃	17.936	10.0	5.0
125	75	12.0	〃	24.532	12.0	6.0

表記の質量はテーブル質量です。実際の商品とは異なる場合があります。