

# アルミ定尺板1(A1050P)

JIS H4000 A1050P H24 / H112

● 生地在庫品 ■ B2アルマイト在庫品

板厚 mm	寸 法 mm					
	1000 x 2000			1250 x 2500		
	生地	B2アルマイト	1枚の質量 (kg/枚)	生地	B2アルマイト	1枚の質量 (kg/枚)
0.3	●		1.64			
0.4	●		2.18			
0.5	●		2.72			
0.6	●		3.26			
0.8	●	■	4.35	●		6.75
1.0	●	■	5.44	●	■	8.44
1.2	●	■	6.53	●		10.13
1.5						
2.0						
2.5	●		13.60	●		21.20
3.0						
3.2						
3.5						
4.0	●		21.80			
4.5						
5.0	●		27.20			
6.0	● (H112)		32.60			
8.0						
10.0						
12.0						
15.0						
20.0						
25.0						
30.0						

表記の質量はテーブル計算です。実際の商品とは異なる場合があります。在庫サイズには一部輸入品も含まれます。(JIS規格相当品)





# アルミ定尺板4 (A5052P)

JIS H4000 A5052P

● H32又は34在庫 ▲ H112在庫

板厚 mm						
	1000 x 2000			1250 x 2500		
	H32/H34	H112	1枚の質量 (kg/枚)	H32/H34	H112	1枚の質量 (kg/枚)
0.5	●		2.70			
0.8	●		4.29			
1.0	●		5.40	●		8.38
1.2	●		6.43	●		10.05
1.5	●		8.04	●		12.56
2.0	●		10.72	●		16.75
2.5	●		13.40	●		20.94
3.0	●		16.08	●		25.13
4.0		▲	21.44			
5.0		▲	26.08		▲	41.88
6.0		▲	32.16		▲	50.25
8.0		▲	42.88		▲	67.00
10.0		▲	53.60		▲	83.75
12.0		▲	64.32		▲	100.50
15.0		▲	80.40		▲	125.63
16.0		▲	85.76			134.00
18.0			96.48			150.75
20.0		▲	107.20		▲	167.50
22.0		▲	117.42			184.30
25.0		▲	134.00		▲	209.40
30.0		▲	160.80		▲	251.30
35.0		▲	187.60			
40.0		▲	214.40			
45.0		▲	241.20			
50.0		▲	268.00			
55.0		▲	294.80			
60.0		▲	321.60			

表記の質量はテーブル計算です。実際の商品とは異なる場合があります。在庫サイズには一部輸入品も含まれます。(JIS規格相当品)

# アルミ定尺板5 (A5052Pアルハイス・アルジェイド)

JIS H4000 A5052P

● アルハイス在庫品    ■ アルジェイド在庫品

板厚 mm	寸 法 mm					
	1000 x 2000			1250 x 2500		
	アルハイス	アルジェイド	1枚の質量 (kg/枚)	アルハイス	アルジェイド	1枚の質量 (kg/枚)
3.0						
3.2						
3.5						
4.0	●	■	21.44	●	■	33.50
4.5						
5.0	●	■	26.80	●	■	41.88
6.0	●	■	32.16	●	■	50.25
8.0	●	■	42.88	●	■	67.00
10.0	●	■	53.60	●	■	83.75
12.0	●	■	64.32	●	■	100.50
15.0	●	■	80.40	●	■	125.63
16.0	●	■	85.76	●	■	134.00
18.0	●	■	96.48	●	■	150.75
20.0	●	■	107.20	●	■	167.50
22.0	●	■	117.42	●	■	184.30
25.0	●	■	134.00	●	■	209.40
30.0	●	■	160.80	●	■	251.30
35.0	●	■	187.60			
40.0	●	■	214.40			
45.0		■	241.20			
50.0		■	268.00			
55.0		■	294.80			
60.0		■	321.60			

表記の質量はテーブル計算です。実際の商品とは異なる場合があります。

# アルミ定尺板6(A2017P-T3)

JIS H4000 A2017P

● A2017在庫品

板厚 mm	寸 法 mm	
	1000 x 2000	
	生地	1枚の質量(kg/枚)
0.8	●	4.48
1.0	●	5.60
1.2		
1.5	●	8.4
2.0	●	11.2
2.5		
3.0	●	16.8
3.2		
3.5		
4.0	●	22.4
4.5		
5.0	●	28.0
6.0	●	33.5
8.0	●	44.8
10.0	●	56.0
12.0	●	67.2
15.0	●	84.0
16.0		
18.0		
20.0	●	112.0
22.0		
25.0	●	140.0
30.0	●	168.0
35.0		

表記の質量はテーブル計算です。実際の商品とは異なる場合があります。





# カラーアルミコイル

JIS H4001

● 在庫品

板厚 mm		0.40	0.50	0.60	0.80
幅 mm		914	914	914	914
m当りの質量 (kg/m)		1.03	1.28	1.53	2.03
シルバー	FW1005	●	●	●	●
ブロンズ	FW401	●		●	
ホワイト	FW114			●	
クリーム	FW301			●	
インディブラック				●	
ネオマットグリーン				●	
クリアーブロンズ				●	
ステンカラー				●	

表記の質量はテーブル質量です。実際の商品とは異なる場合があります




# アルミ丸管(引抜丸管)A1070TD・A5052TD

JIS H4080

定尺 4,000mm

● A1070TD 在庫品


★ A5052TD在庫品



外径 D mm	肉 厚 t mm								
	0.8	1.0	1.4	1.5	2.0	3.0	4.0	5.0	その他
6		●							
8	●	●	★						
10		●	★	●					
12		● ★			●				
12.7		●							
14		●			●				
15		●	★						
16		●		●	● ★	★			
17		●							
18		●		●					
19		● ★		●	● ★	●			
20		●	★	●	● ★	★			
22		●		●	● ★	★			
25		●		●	● ★	● ★			★ t = 1.6
28					● ★	★			★ t = 1.6
30		●	★		● ★	● ★			
32					● ★	● ★			
35					● ★	● ★			
38					● ★	● ★	★	★	★ t = 3.75
40		●			● ★	● ★	● ★	★	
42					●				
43				●					
45					● ★	● ★		● ★	
50				●	● ★	● ★	● ★	● ★	
55								★	★ t = 8.0
60					★	● ★	● ★	● ★	
65						● ★		● ★	
70						● ★		● ★	
75						● ★		● ★	
80						● ★	★	● ★	
85								●	
90						●	★	● ★	
100						● ★	●	● ★	
110						●		● ★	
120						●	★	● ★	
130						● ★		● ★	
140								★	
150						●		● ★	
165								●	



# アルミ丸管質量表




(A1070)1m当りの重量(kg/m)

外径 D mm	肉 厚 t mm								
	0.8	1.0	1.4	1.5	2.0	3.0	4.0	5.0	7.0
6	0.035	0.043							
8	0.049	0.060	0.079						
10	0.063	0.077	0.103	0.109					
11		0.085							
12	0.076	0.094	0.127	0.134	0.171				
12.7	0.081	0.099	0.134	0.142	0.182				
13		0.102							
14	0.090	0.111	0.150	0.159	0.205				
15	0.097	0.119	0.163	0.172	0.221				
16		0.128	0.174	0.186	0.239	0.332			
17		0.136	0.186	0.198	0.255	0.357			
18		0.145	0.198	0.211	0.272	0.383			
19		0.153	0.209	0.223	0.289	0.408			
20		0.169	0.223	0.238	0.308	0.433			
22		0.179	0.245	0.262	0.342	0.485			
25		0.205	0.281	0.301	0.393	0.561			t = 1.6 0.320
28		0.230	0.317	0.338	0.444	0.638			t = 1.6 0.361
30		0.248	0.342	0.363	0.479	0.692	0.884	1.063	
32		0.264	0.364	0.389	0.513	0.743	0.952	1.188	
35		0.289	0.402	0.427	0.564	0.820	1.054	1.275	
38		0.315	0.436	0.465	0.615	0.898	1.156	1.403	t = 3.75 1.098
40		0.333	0.459	0.491	0.649	0.949	1.224	1.487	
42				0.516	0.680	0.994	1.292	1.573	
43				0.529	0.697	1.020	1.326	1.615	
45				0.555	0.735	1.077	1.394	1.700	
50				0.618	0.820	1.205	1.572	1.912	2.599
55					0.901	1.326	1.734	2.125	t = 8 3.215
60					0.991	1.461	1.914	2.337	3.154
65					1.077	1.590	2.086	2.565	3.471
70					1.156	1.718	2.244	2.762	3.749
75					1.248	1.846	2.414	2.975	4.046
80					1.326	1.975	2.598	3.187	4.344
85					1.411	2.091	2.754	3.400	4.668
90					1.496	2.230	2.939	3.612	4.939
100					1.666	2.486	3.246	4.037	5.534
110						2.743	3.604	4.462	6.129
120						3.000	3.944	4.887	6.724
130						3.256	4.284	5.341	7.319
140							4.624	5.738	7.914
150						3.769	4.964	6.195	8.509
165								6.622	9.401

表記の質量はテーブル質量です。実際の商品とは異なる場合があります

# アルミ四角管(63角パイプ)

JIS H4100 A6063-T5




寸 法 mm			1本の質量 (kg/本)	寸 法 mm			1本の質量 (kg/本)
辺 A	肉厚 t	定尺長さ		辺 A	肉厚 t	定尺長さ	
9	1.2	5,000	0.510				
10	1.0	"	0.485				
12	1.2	"	0.705				
15	1.2	"	0.900				
	1.5	"	1.095				
19	1.5	"	1.420				
20	1.5	"	1.500				
	2.0	"	1.945				
	2.5	"	2.365				
25	1.5	"	1.905				
	2.0	"	2.495				
	2.5	"	3.040				
25.4	1.4	"	1.815				
30	1.5	"	2.310				
	2.0	"	3.025				
	3.0	"	4.375				
40	2.0	"	4.105				
	2.5	"	5.065				
	3.0	"	5.995				
50	2.0	"	5.185				
	2.5	"	6.415				
	3.0	"	7.615				
60	2.0	"	6.265				
	2.5	"	7.760				
70	2.0	"	7.345				
80	2.0	"	8.425				
100	3.0	"	15.715				

表記の質量はテーブル質量です。実際の商品とは異なる場合があります。重量を表示している規格は標準在庫品です。

# アルミ平角管(63平角パイプ)

JIS H4100 A6063-T5




寸 法 mm				1本の 質量 (kg/本)	寸 法 mm				1本の 質量 (kg/本)
辺 A	辺 B	肉厚 t	定尺長さ		辺 A	辺 B	肉厚 t	定尺長さ	
20	10	1.2	5,000	0.895	70	50	2.0	5,000	6.265
	15	1.5	"	1.295	80	40	2.0	"	6.265
25	15	1.5	"	1.505		40	2.5	"	7.765
	15	2.0	"	1.945		40	3.0	"	9.235
30	15	1.5	"	1.705	100	30	2.5	"	8.440
	15	2.0	"	2.225		50	1.8	"	7.140
	20	1.5	"	1.905		50	2.0	"	7.885
	20	2.0	"	2.485		50	2.5	"	9.790
	20	2.5	"	3.040		50	3.0	"	11.665
	25	3.0	"	3.970		80	2.7	"	12.760
40	20	1.5	"	2.310	110	40	2.0	"	7.915
	20	2.0	"	3.035	120	60	2.8	"	13.190
	20	2.5	"	3.715	150	50	2.5	"	13.165
	20	3.0	"	4.375		50	3.0	"	15.715
	30	1.5	"	2.780					
	30	2.0	"	3.565					
	30	3.0	"	5.185					
50	25	1.5	"	2.925					
	25	2.0	"	3.835					
	30	2.0	"	4.105					
60	25	2.0	"	4.375					
	30	1.5	"	3.535					
	30	2.0	"	4.650					
	30	2.5	"	5.740					
	40	2.0	"	5.185					
	40	2.5	"	6.415					
	40	3.0	"	7.615					
70	30	2.0	"	5.185					
	30	3.0	"	7.615					

表記の質量はテーブル質量です。実際の商品とは異なる場合があります。重量を表示している規格は標準在庫品です。

# アルミ丸棒(1)

JIS H4040




● 在庫品

直径 D mm	材 質						定尺長さ mm	A1070 1mの質量 (Kg/m)
	A1070 (1S)	A2017-T4 (17S)	A5052 (52S)	A5056 (56S)	A6061 T6 (61S)	C6PT8 (A2011) (11S相当)		
3	●		●				2,000	0.019
4	●		●				"	0.034
5	●	●	●			●	"	0.053
6	●	●	●			●	"	0.076
7	●	●	●			●	"	0.104
8	●	●	●	●L=4000		●	"	0.136
9	●	●	●			●	"	0.175
10	●	●	●	●	●	●L=2000	4,000	0.212
11	●	●	●			●L=2000	"	0.257
12	●	●	●	●		●L=2000	"	0.307
13	●	●	●	●			"	0.359
14	●	●	●	●		●L=2000	"	0.417
15	●	●	●	●		●L=2000	"	0.478
16	●	●	●	●	●	●L=2000	"	0.549
17	●	●	●	●			"	0.615
18	●	●	●	●			"	0.690
19	●	●	●	●	●		"	0.768
20	●	●	●	●	●		"	0.852
21		●					"	0.939
22	●	●	●	●			"	1.030
23		●					"	1.126
24		●					"	1.226
25	●	●	●	●	●		"	1.330
26	●	●	●	●			"	1.438
28	●	●	●	●			"	1.669
30	●	●	●	●	●		"	1.916
32	●	●	●	●	●		"	2.180
33		●					"	2.371
34		●					"	2.461
35	●	●	●	●	●		"	2.608
36	●	●	●	●			"	2.800
38	●	●	●	●			"	3.104
40	●	●	●	●	●		"	3.406
42	●	●	●	●	●		"	3.754
45	●	●	●	●	●		"	4.310
46		●					"	4.501
48		●	●	●	●		"	4.901
50	●	●	●	●	●		"	5.321

表記の質量はテーブル質量です。実際の商品とは異なる場合があります

# アルミ丸棒(2)

JIS H4040




● 在庫品

直径 D mm	材 質						定尺長さ mm	A1070 1mの質量 (Kg/m)
	A1070 (1S)	A2017-T4 (17S)	A5052 (52S)	A5056 (56S)	A6061 T6 (61S)	C6PT8 (A2011) (11S相当)		
52		●					4,000	5.753
55	●	●	●	●	●		"	6.438
60	●	●	●	●	●		"	7.719
65	●	●	●	●	●		"	9.056
70	●	●L=4000	●	●	●		2,000	10.506
75	●	●L=4000	●	●	●		"	12.061
80	●	●L=4000	●	●	●		"	13.722
85	●	●L=4000	●	●	●		"	15.377
90	●	●L=4000	●	●	●		"	17.241
95	●	●L=4000	●	●	●		"	19.205
100	●	●L=4000	●	●	●		"	21.284
105		●					"	23.550
110	●	●	●	●	●		"	25.754
115		●					"	28.013
120	●	●	●	●	●		"	30.649
130	●	●	●	●	●		"	35.963
140	●	●	●	●	●		"	41.650
150	●	●	●	●	●		"	47.800
160	●	●	●	●	●		"	54.900
170		●	●	●	●		"	61.480
180		●	●	●	●		"	69.000
190		●	●	●	●		"	76.800
200		●	●	●	●		"	85.200
210		●		●	●		"	93.820
220		●		●	●		"	103.00
230		●		●	●		"	112.60
240		●		●	●		"	122.60
250		●		●	●		"	133.00
260		●		●	●		"	143.80
270		●		●	●		"	156.70
280		●		●	●		"	166.90
290		●		●			"	178.70
300		●		●	●		"	191.60
310		●		●			"	204.50
320		●		●			"	217.90
330		●		●			"	231.70
340		●		●			"	246.00
350		●		●			"	260.70

表記の質量はテーブル質量です。実際の商品とは異なる場合があります

# アルミ平角棒(63平角棒) 1

JIS H4100 A6063-T5



寸法 mm			1本の質量 (kg/本)	寸法 mm			1本の質量 (kg/本)	寸法 mm			1本の質量 (kg/本)	
厚さA	幅 B	定尺長さ		厚さA	幅 B	定尺長さ		厚さA	幅 B	定尺長さ		
2	10	4,000	0.216	5	4	70	4,000	3.024	8	20	4,000	1.728
	12	"	0.260		10	"	0.540	25		"	2.160	
	15	"	0.324		15	"	0.812	30		"	2.592	
	20	"	0.432		20	"	1.084	32		"	2.772	
	25	"	0.540		25	"	1.352	35		"	3.024	
	30	"	0.648		30	"	1.620	40		"	3.456	
	35	"	0.756		35	"	1.892	50		"	4.320	
	40	"	0.864		40	"	2.160	60		"	5.184	
	50	"	1.080		50	"	2.700	75		"	6.480	
3	10	"	0.324	6	60	"	3.240	10	100	"	8.640	
	12	"	0.388		70	"	3.780		9	20	"	1.944
	15	"	0.488		75	"	4.052			60	"	5.832
	16	"	0.520		100	"	5.400		10	15	"	1.620
	20	"	0.648		10	"	0.648			20	"	2.168
	25	"	0.812		12	"	0.776			25	"	2.700
	30	"	0.972		15	"	0.976			30	"	3.240
	35	"	1.136		20	"	1.296			35	"	3.780
	40	"	1.296		25	"	1.620			40	"	4.320
	50	"	1.620		30	"	1.944			45	"	4.860
	60	"	1.944		32	"	2.076			50	"	5.420
70	"	2.268	35	"	2.268	60	"	6.480				
4	10	"	0.432	8	40	"	2.592	12	20	"	2.592	
	12	"	0.520		45	"	2.916		10	70	"	7.560
	15	"	0.648		50	"	3.240			75	"	8.132
	20	"	0.868		60	"	3.888			80	"	8.640
	25	"	1.080		65	"	4.212			100	"	10.840
	30	"	1.300		75	"	4.860			120	"	12.960
	40	"	1.728		100	"	6.480			125	"	13.500
	50	"	2.160		15	"	1.296			150	"	16.200

表記の質量はテーブル質量です。実際の商品とは異なる場合があります。重量を表示している規格は標準在庫品です。

# アルミ平角棒 (63平角棒) 2

JIS H4100 A6063-T5




寸法 mm			1本の質量 (kg/本)	寸法 mm			1本の質量 (kg/本)	寸法 mm			1本の質量 (kg/本)
厚さA	幅 B	定尺長さ		厚さA	幅 B	定尺長さ		厚さA	幅 B	定尺長さ	
12	25	4,000	3.240	25	30	4,000	8,100				
	30	"	3.888		35	"	9.452				
	40	"	5.180		40	"	10.800				
	50	"	6.504		50	"	13.500				
	60	"	7.776		60	"	16.200				
	75	"	9.720		80	"	21.600				
	100	"	12.960		100	"	27.000				
	120	"	15.552		40	"	12.960				
13	40	"	5.636	30	50	"	16.200				
15	20	"	3.252		60	"	19.440				
	25	"	4.052		65	"	21.060				
	30	"	4.860		75	"	24.300				
	40	"	6.480		100	"	32.400				
	50	"	8.100	35	40	"	15.120				
	60	"	9.720		50	"	18.900				
	75	"	12.148		60	"	22.680				
	100	"	16.200		85	"	32.132				
	150	"	24.300		100	2,500	23.625				
20	25	"	5.400	40	50	4,000	21.600				
	30	"	6.504		60	"	25.920				
	35	"	7.560		75	"	32.400				
	40	"	8.672		100	2,500	27.000				
	50	"	10.800								
	60	"	12.960								
	65	"	14.040								
	70	"	15.120								
	80	"	17.280								
	100	"	21.680								
	150	"	32.400								

表記の質量はテーブル質量です。実際の商品とは異なる場合があります。重量を表示している規格は標準在庫品です。

# アルミ四角棒(63角棒)

JIS H4100 A6063-T5




寸 法 mm		1本の質量 (kg/本)	寸 法 mm		1本の質量 (kg/本)
辺 A	定尺長さ		辺 A	定尺長さ	
5	4,000	0.272			
6	"	0.388			
7	"	0.524			
8	"	0.692			
9	"	0.876			
10	"	1.080			
12	"	1.556			
13	"	1.824			
14	"	2.116			
15	"	2.432			
16	"	2.764			
18	"	3.512			
19	"	3.900			
20	"	4.336			
22	"	5.220			
25	"	6.776			
30	"	9.720			
32	"	11.060			
35	"	13.232			
38	"	15.596			
40	"	17.344			
42	"	19.052			
45	"	21.872			
50	"	27.000			
55	"	32.672			
60	"	38.880			

表記の質量はテーブル質量です。実際の商品とは異なる場合があります。重量を表示している規格は標準在庫品です。

# アルミチャンネル(63チャンネル)


JIS H4100 A6063-T5

## Rナシチャンネル



寸 法 mm				1本の 質量 (kg/本)	寸 法 mm				1本の 質量 (kg/本)
縦 H	横 B	肉厚 t	定尺長さ		縦 H	横 B	肉厚 t	定尺長さ	
10	10	1.0	5,000	0.380	60	30	3.0	5,000	4.615
	10	1.6	"	0.580	75	40	3.2	"	6.425
15	15	1.5	"	0.860	80	40	4.0	"	8.210
	15	2.0	"	1.105	75	50	5.0	"	11.140
18	10	2.0	"	0.920	100	50	5.0	"	12.825
20	20	2.0	"	1.515	125	65	6.0	"	19.685
22	12	2.0	"	1.130					
25	15	2.0	"	1.375					
	25	2.0	"	1.915					
30	15	2.0	"	1.510					
	30	2.4	"	2.765					
35	20	2.4	"	2.275					
40	20	3.0	"	2.995					
50	25	3.0	"	3.805					

## R付きチャンネル




寸 法 mm				1本の 質量 (kg/本)	R1	R2
縦 H	横 B	肉厚 t	定尺長さ			
75	40	6.0	5,000	11.585	5.0	5.0
100	50	5.0	"	12.745	3.0	5.0
125	65	6.0	"	19.845	6.0	3.0
150	75	8.0	"	30.76	8.0	7.0

表記の質量はテーブル質量です。実際の商品とは異なる場合があります。重量を表示している規格は標準在庫品です。

# アルミ等辺アングル Rナシ (63アングル)

JIS H4100 A6063-T5




寸 法 mm			1本の質量 (kg/本)	寸 法 mm			1本の質量 (kg/本)
辺 A	厚さ t	定尺長さ		辺 A	厚さ t	定尺長さ	
9	1.0	4,000	0.184	40	2.0	4,000	1.684
10	1.0	"	0.204		3.0	"	2.496
	1.2	"	0.244		4.0	"	3.284
12	1.2	"	0.296		5.0	"	4.052
15	1.0	"	0.312		6.0	"	4.796
	1.2	"	0.372		50	1.5	"
	1.5	"	0.464	3.0		"	3.144
	2.0	"	0.604	4.0		"	4.148
3.0	"	0.872	5.0	"		5.132	
19	1.0	"	0.400	6.0	"	6.092	
	1.5	"	0.592	60	5.0	"	6.212
20	1.5	"	0.624		6.0	"	7.388
	2.0	"	0.820	65	6.0	"	8.036
	3.0	"	1.199	70	4.0	"	5.876
25	1.0	"	0.528	75	9.0	"	13.704
	1.2	"	0.636	100	10.0	"	20.520
	1.5	"	0.784				
	2.0	"	1.036				
	3.0	"	1.524				
	4.0	"	1.988				
30	1.0	"	0.636				
	1.2	"	0.764				
	1.5	"	0.948				
	2.0	"	1.256				
	3.0	"	1.848				
	4.0	"	2.420				
	5.0	"	2.980				
35	3.0	"	2.172				
	4.0	"	2.852				

表記の質量はテーブル質量です。実際の商品とは異なる場合があります。重量を表示している規格は標準在庫品です。

# アルミ不等辺アングル Rナシ (63アングル)

JIS H4100 A6063-T5




寸 法 mm				1本の質量 (kg/本)
辺 A	辺 B	厚さ t	定尺長さ	
15	10	2.0	4,000	0.496
20	10	1.5	"	0.464
	15	1.5	"	0.542
	15	2.0	"	0.712
25	10	1.5	"	0.544
	15	1.5	"	0.624
	15	2.0	"	0.820
	15	3.0	"	1.200
30	10	1.5	"	0.624
	15	1.5	"	0.704
	15	2.0	"	0.928
	15	3.0	"	1.360
	20	2.0	"	1.036
	20	3.0	"	1.524
40	10	1.5	"	0.788
	20	2.0	"	1.252
	20	3.0	"	1.848
	30	3.0	"	2.172
50	25	3.0	"	2.332
	35	4.0	"	3.500
60	40	5.0	"	5.132
	50	5.0	"	5.672
75	50	5.0	"	6.480

表記の質量はテーブル質量です。実際の商品とは異なる場合があります。重量を表示している規格は標準在庫品です。

# アルミアングル R付き (63アングル)


JIS H4100 A6063-T5

## 等辺アングル



寸 法 mm			1本の質量 (kg/本)	R1	R2
辺 A	厚さ t	定尺長さ			
30	3.0	4,000	1.864	4.0	2.0
40	3.0	"	2.524	4.5	2.0
	4.0	"	3.300	4.5	2.5
	5.0	"	4.056	4.5	3.0
	6.0	"	4.836	6.0	3.0
50	5.0	"	5.240	6.5	3.0
	6.0	"	6.096	6.5	4.5
60	6.0	"	7.484	8.5	4.0
65	6.0	"	8.128	8.5	4.0
	8.0	"	10.616	8.0	4.0
75	6.0	"	9.456	6.0	3.0
	9.0	"	13.804	8.5	4.0
100	10.0	"	20.640	8.5	4.0

## 不等辺アングル



寸 法 mm				1本の質量 (kg/本)	R1	R2
辺 A	辺 B	厚さ t	定尺長さ			
75	50	5.0	4,000	6.508	5.0	2.5
100	70	4.0	"	7.256	5.0	-
125	75	12.0	"	24.532	12.0	6.0

表記の質量はテーブル質量です。実際の商品とは異なる場合があります。重量を表示している規格は標準在庫品です。